



Tekform Double Wall Drawer

2016

Important Information

Intellectual property

Titus Group owns the intellectual property rights in its products worldwide whether as trademarks, patents, intellectual, copyright, designs, illustrations, drawings and the 'know how' contained in their design and production. Titus Group respects the equivalent rights in competitors and all other relevant product design rights in others. To our knowledge our products do not infringe any intellectual property rights of competitors or other parties. Titus Group takes infringements of its rights seriously and will rigorously defend these rights to the full extent of the law.

Responsibility

It is the responsibility of the user to ensure the fitness of hardware for the intended purpose. We recommend assessment by appropriate testing in the application and by technical enquiry to our representatives.

Technical information

While every effort has been made in the production of this catalogue to ensure the accuracy of information, our products are continually being revised and users should confirm the up to date specification before ordering.

*Non preferred articles

All Item numbers in the catalogue marked with * are for non preferred non stock items available upon special request. For such products, extended delivery times may apply.

Trademarks

Titus and Titusonic are registered trademarks of Titus International Ltd. Lama is a registered trademark of Lama d.d. Dekani, WoodWelding is a registered trademark of WW SA.

Contents

Tekform Drawer

- Tekform Drawer DW70	6
- Tekform Drawer DW145	8
- Tekform Drawer DW182	10

Inner Drawer Front

- For Tekform Drawer DW70	12
- For Tekform Drawer DW145 With Square Bar	14
- For Tekform Drawer DW145 With Extension Panel	16
- For Tekform Drawer DW182 With Square Bar	18
- For Tekform Drawer DW182 With Extension Panel	20

Tekform Drawer Industrial Packaging

- Tekform Drawer Industrial Packaging	22
---------------------------------------	----


Accessories

- Glass Sides 4mm with Side Bar	24
- Glass Sides 8mm	25
- Drawer Storage System	26


Assembly Instructions Adjustments Accessories Mounting

- Assembly Sequence	27
- Insertion of Front Connectors	28
- Front Panel Mounting Removal	29
- Drawer Insertion / Removal	30
- Side / Height Adjustment	31
- Mounting of Glass Sides	32
- Mounting of Side Bars	33
- Assembly of Inner Drawer Front	34


Double Wall Drawer Systems



Tekform drawer DW70



Tekform drawer DW145



Tekform drawer DW182



‘EasyFix’ front panel connector

- Hand insertion
- Quarter turn lock
- Repeatable assembly and disassembly possible


User friendly mounting

- Intuitive installation instructions
- Easy assembly and disassembly of the drawer

Superior vertical and horizontal stability of rails

- Smooth and silent operating
- Reliable drawer opening and closing
- Improved drawer stability in open position

Tekform Drawer



Precise drawer alignment

- Tekform drawer provides a +/- 1mm tolerance on drawer bottom width
- Intuitive drawer front adjustment



Titus damper inside

- Life-long reliable closing
- Consistent damping at various closing speeds
- 'Confident Close'


Quality certified

- By European specialized institutions


Tekform Drawer DW70



Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer




4 Sets

Screw-in connector
650.8905.380

NL	with EasyFix front connector		
Nominal length			
	Item number for a set	White	Anthracite Grey
270	650.8027 $\rightarrow$	150	185*
300	650.8030 $\rightarrow$	150	185*
350	650.8035 $\rightarrow$	150	185*
400	650.8040 $\rightarrow$	150	185*
450	650.8045 $\rightarrow$	150	185*
500	650.8050 $\rightarrow$	150	185*
550	650.8055 $\rightarrow$	150	185*
* Available upon special request Assembly instructions $\rightarrow$ see page 20			
One set consists of			
Drawer sides		2 pcs	
Drawer runner		2 pcs	
Front connectors		2 pcs	
Rear connectors		2 pcs	
Decorative covers		2 pcs	
Mounting instructions		1 pce	

- Drawer runner type full extension
- Load capacity 40kg
- Minimal height space required 105mm
- Wooden back panel thickness 16mm
- Wooden bottom panel thickness 16mm



Side
adjustment
+1/-1mm


Height
adjustment
+2/-2mm

Screws are not included

For further explanation → [see page 24](#)


Installation dimensions

Minimum space required for the cabinet




Drilling dimensions for the front panel


EasyFix attachment




Screw-in attachment





Mounting dimensions for the back panel



Installation dimensions for the front panel





Drawer runner fixing positions




A trial mounting is always recommended. For further information please contact your Titus Group representative.


Tekform Drawer DW145



Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer




4 Sets

 Screw-in connector
650.8905.380

NL	with EasyFix front connector		
		White	Anthractive Grey
Nominal length	Item number for a set		
270	650.8127 →	150	185*
300	650.8130 →	150	185*
350	650.8135 →	150	185*
400	650.8140 →	150	185*
450	650.8145 →	150	185*
500	650.8150 →	150	185*
550	650.8155 →	150	185*
* Available upon special request			
Assembly instructions → see page 20			
One set consists of			
Drawer sides		2 pcs	
Drawer runner		2 pcs	
Connecting bars		2 pcs	
Front connectors		2 pcs	
Rear connectors		2 pcs	
Decorative covers		2 pcs	
Mounting instructions		1 pce	

- Drawer runner type full extension
- Load capacity 40kg
- Minimal height space required 185mm
- Wooden back panel thickness 16mm
- Wooden bottom panel thickness 16mm



Side
adjustment
+1/-1mm


Height
adjustment
+2/-2mm

Screws are not included

For further explanation → [see page 24](#)


Installation dimensions

Minimum space required for the cabinet




Drilling dimensions for the front panel


EasyFix attachment




Screw-in attachment




Mounting dimensions for the back panel




Installation dimensions for the front panel




Drawer runner fixing positions




NL=270 mm




NL=300 mm




NL=350 mm




NL=400 mm




NL=450 mm



NL=500 mm





NL=550 mm




A trial mounting is always recommended. For further information please contact your Titus Group representative.


Tekform Drawer DW182



Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer




4 Sets

NL	with EasyFix front connector		
		White	Anthractive Grey
Nominal length	Item number for a set		
270	650.8227 →	150	185*
300	650.8230 →	150	185*
350	650.8235 →	150	185*
400	650.8240 →	150	185*
450	650.8245 →	150	185*
500	650.8250 →	150	185*
550	650.8255 →	150	185*
* Available upon special request			
Assembly instructions → see page 20			
One set consists of			
Drawer sides		2 pcs	
Drawer runner		2 pcs	
Connecting bars		2 pcs	
Front connectors		2 pcs	
Rear connectors		2 pcs	
Decorative covers		2 pcs	
Mounting instructions		1 pce	

 Screw-in connector
650.8905.380

- Drawer runner type full extension
- Load capacity 40kg
- Minimal height space required 224mm
- Wooden back panel thickness 16mm
- Wooden bottom panel thickness 16mm



Side
adjustment
+1/-1mm


Height
adjustment
+2/-2mm

Screws are not included

For further explanation → [see page 24](#)

Installation dimensions


Minimum space required for the cabinet




Drilling dimensions for the front panel

EasyFix attachment


Screw-in attachment





Mounting dimensions for the back panel



Installation dimensions for the front panel




Drawer runner fixing positions





For further information please contact your Titus Group representative.

Inner Drawer Front for Tekform Drawer DW70



Inner Drawer Front, Assembled



Thickness of carcass side panel	ECW	L	Item number	White	Anthracite Grey
16	600	562	650.8501 →	511	512*
16	800	762	650.8502 →	511	512*
16	600	558	650.8498 →	511	512*
16	800	758	650.8499 →	511	512*

* Available upon special request

Assembly instructions → [see page 26](#)

20 Pcs

Made of plastic and aluminium

Front Panel



Cutting dimension= ICW-90
ICW → see page 13

	600	650.8565 →	511	515*
	800	650.8566 →	511	515*
	900	650.8567 →	511	515*
	1000	650.8568 →	511	515*
	1200	650.8569 →	511	515*

* Available upon special request

Assembly instructions → [see page 26](#)

20 Pcs

Made of aluminium

Front Bracket Set DW70
(L+R)



		650.8912 →	350	385*
--	--	------------	-----	------

* Available upon special request



Assembly instructions → [see page 26](#)

40 Sets

Made of plastic and aluminium

Bottom panel support
650.8908.350


1000 pcs




For further explanation → [see page 24](#)

Installation dimensions


Minimum space required for the cabinet




Drawer runner fixing positions





Cutting dimensions details




ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



Inner Drawer Front for Tekform Drawer DW145 With Square Bar



Inner Drawer Front, Assembled



20 Pcs

Made of aluminium and plastic

Front Panel



Cutting dimension= ICW-90
ICW → [see page 15](#)

20 Pcs

Made of aluminium

Front Bracket (L+R) DW145



50 Sets

Made of plastic and aluminium

Square Bar



Cutting dimension= ICW-92
ICW → [see page 15](#)



50 Pcs

Made of aluminium

Bottom panel support
650.8908.350

1000 pcs

Thickness of carcass side panel	ECW	L	Item number	White	Anthracite Grey
16	600	562	650.8505 →	511	512*
16	800	762	650.8506 →	511	512*
18	600	558	650.8517 →	511	512*
18	800	758	650.8518 →	511	512*
* Available upon special request Assembly instructions → see page 26					
		600	650.8565 →	511	515*
		800	650.8566 →	511	515*
		900	650.8567 →	511	515*
		1000	650.8568 →	511	515*
		1200	650.8569 →	511	515*
* Available upon special request Assembly instructions → see page 26					
			650.8914 →	350	385*
* Available upon special request Assembly instructions → see page 26					
		600	650.8600 →	511	515*
		800	650.8601 →	511	515*
		900	650.8602 →	511	515*
		1000	650.8603 →	511	515*
		1200	650.8604 →	511	515*
* Available upon special request Assembly instructions → see page 26					




Side
adjustment
+1/-1mm

Height
adjustment
+2/-2mm


For further explanation → [see page 24](#)

Installation dimensions

Minimum space required for the cabinet




Cutting dimensions details




ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer


Drawer runner fixing positions




⚠ Use the second hole for runner fixing.



Inner Drawer Front for Tekform Drawer DW145 With Extension Panel



Inner Drawer Front, Assembled



20 Pcs

Made of aluminium and plastic

Front Panel



Cutting dimension= ICW-90
ICW → [see page 15](#)

20 Pcs

Made of aluminium

Front Bracket (L+R) DW145



50 Sets

Made of plastic and aluminium

Extension Panel



Cutting dimension= ICW-98
ICW → [see page 15](#)



20 Pcs

Made of aluminium

Bottom panel support
650.8908.350

1000 pcs

Thickness of carcass side panel	ECW	L	Item number	White	Anthracite Grey
16	600	562	650.8503 →	511	512*
16	800	752	650.8504 →	511	512*
18	600	558	650.8515 →	511	512*
18	800	758	650.8516 →	511	512*
* Available upon special request Assembly instructions → see page 26					
		600	650.8565 →	511	512*
		800	650.8566 →	511	512*
		900	650.8567 →	511	512*
		1000	650.8568 →	511	512*
		1200	650.8569 →	511	512*
* Available upon special request Assembly instructions → see page 26					
			650.8913 →	350	380*
* Available upon special request Assembly instructions → see page 26					
		600	650.8590 →	511	512*
		800	650.8591 →	511	512*
		900	650.8592 →	511	512*
		1000	650.8593 →	511	512*
		1200	650.8594 →	511	512*
* Available upon special request Assembly instructions → see page 26					




Side
adjustment
+1/-1mm

Height
adjustment
+2/-2mm


For further explanation → [see page 24](#)

Installation dimensions

Minimum space required for the cabinet




Cutting dimensions details




ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer


Drawer runner fixing positions



⚠ Use the second hole for runner fixing.




Inner Drawer Front for Tekform Drawer DW182 With Square Bar



Inner Drawer Front, Assembled



20 Pcs



Made of aluminium and plastic

Front Panel



20 Pcs



Cutting dimension= ICW-90
ICW → [see page 15](#)

Made of aluminium

Front Bracket (L+R) DW182



50 Sets

Made of plastic and aluminium

Square Bar



50 Pcs





Cutting dimension= ICW-92
ICW → [see page 15](#)

Made of aluminium

Thickness of carcass side panel	ECW	L	Item number	White	Anthractive Grey
16	600	562	650.8511 →	511	515*
16	800	762	650.8512 →	511	515*
18	600	558	650.8523 →	511	515*
18	800	758	650.8524 →	511	515*
* Available upon special request Assembly instructions → see page 26					
		600	650.8565 →	511	512*
		800	650.8566 →	511	512*
		900	650.8567 →	511	512*
		1000	650.8568 →	511	512*
		1200	650.8569 →	511	512*
* Available upon special request Assembly instructions → see page 26					
			650.8916 →	350	385*
* Available upon special request Assembly instructions → see page 26					
		600	650.8600 →	511	515*
		800	650.8601 →	511	515*
		900	650.8602 →	511	515*
		1000	650.8603 →	511	515*
		1200	650.8604 →	511	515*
* Available upon special request Assembly instructions → see page 26					

Bottom panel support
650.8908.350

1000 pcs



Side
adjustment
+1/-1mm


Height
adjustment
+2/-2mm

For further explanation → [see page 24](#)


Installation dimensions

Drawer runner fixing positions



Minimum space required for the cabinet




Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer




Inner Drawer Front for Tekform Drawer DW182 With Extension Panel



Inner Drawer Front, Assembled



20 Pcs



Made of aluminium and plastic

Front Panel



20 Pcs



Cutting dimension= ICW-90
ICW → [see page 15](#)

Made of aluminium

Front Bracket (L+R) DW145




50 Sets

Made of plastic and aluminium

Extension Panel



20 Pcs





Cutting dimension= ICW-98
ICW → [see page 15](#)

Made of aluminium

Thickness of carcass side panel	ECW	L	Item number	White	Anthracite Grey
16	600	562	650.8509 →	511	512*
16	800	762	650.8510 →	511	512*
18	600	558	650.8521 →	511	512*
18	800	758	650.8522 →	511	512*
* Available upon special request Assembly instructions → see page 26					
		600	650.8565 →	511	512*
		800	650.8566 →	511	512*
		900	650.8567 →	511	512*
		1000	650.8568 →	511	512*
		1200	650.8569 →	511	512*
* Available upon special request Assembly instructions → see page 26					
			650.8915 →	350	380*
* Available upon special request Assembly instructions → see page 26					
		600	650.8610 →	511	512*
		800	650.8611 →	511	512*
		900	650.8612 →	511	512*
		1000	650.8613 →	511	512*
		1200	650.8614 →	511	512*
* Available upon special request Assembly instructions → see page 26					

Bottom panel support
650.8908.350

1000 pcs




Side
adjustment
+1/-1mm

Height
adjustment
+2/-2mm


For further explanation → [see page 24](#)

Installation dimensions

Minimum space required for the cabinet




Cutting dimensions details




ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer

Drawer runner fixing positions




⚠ Use the second hole for runner fixing.



Tekform Drawer

Industrial Packaging



Drawer Runner



14 Pcs

Drawer Side



14 Pcs

	NL	Item number		
			White	Anthracite Grey
Left	270	660.8A27 →	040	
	300	660.8A30 →	040	
	350	660.8A35 →	040	
	400	660.8A40 →	040	
	450	660.8A45 →	040	
	500	660.8A50 →	040	
	550	660.8A55 →	040	
Right	270	660.8B27 →	040	
	300	660.8B30 →	040	
	350	660.8B35 →	040	
	400	660.8B40 →	040	
	450	660.8B45 →	040	
	500	660.8B50 →	040	
	550	660.8B55 →	040	
Left	270	660.8C27 →	150	185
	300	660.8C30 →	150	185
	350	660.8C35 →	150	185
	400	660.8C40 →	150	185
	450	660.8C45 →	150	185
	500	660.8C50 →	150	185
	550	660.8C55 →	150	185
Right	270	660.8D27 →	150	185
	300	660.8D30 →	150	185
	350	660.8D35 →	150	185
	400	660.8D40 →	150	185
	450	660.8D45 →	150	185
	500	660.8D50 →	150	185
	550	660.8D55 →	150	185

- Bulk packaging is easier for large scale production and storage
- Environmental choice for large drawer projects, as it saves disposing of large boxes
- Save space and time on your drawer production line
- All bulk packaged parts are available upon special request

		NL			
		Nominal length	Item number	White	Anthracite Grey
Side Bar   42 Pairs		270	650.8727 →	150	185
		300	650.8730 →	150	185
		350	650.8735 →	150	185
		400	650.8740 →	150	185
		450	650.8745 →	150	185
		500	650.8750 →	150	185
		550	650.8755 →	150	185
Rear Connectors   56 Pairs	for DW70		650.8901 →	150	185
	for DW145		650.8902 →	150	185
	for DW182		650.8903 →	150	185
Front Connectors  EasyFix Screw-in  400 Pcs	EasyFix		650.8905 →	385	
	Screw-in		650.8907 →	385	
Decorative Cover   1000 Pcs	Tekform by Titus		650.8904 →	350	385
	Neutral		650.8906 →	350	385

Accessories

Glass Sides 4mm with Side Bar


- 4mm glass sides must be applied with drawer side bars
- Tempered glass for improved user safety
- Depth front adjustment through side bars enabled

		NL				
		Nominal length	Item number	Frosted glass	Transparent glass	White
						Anthracite Grey
Glass Sides for DW145  Glass side Glass clip	Glass side set	270	650.8401 →	391	392	
		300	650.8402 →	391	392	
		350	650.8403 →	391	392	
		400	650.8404 →	391	392	
		450	650.8405 →	391	392	
		500	650.8406 →	391	392	
		550	650.8407 →	391	392	
	Glass clip set		650.8484 →			350* 385
	* Available upon special request Assembly instructions → see page 31					
	Glass side set = 2 pcs Glass clip set = 2 pcs L + 2 pcs R					
 10 Sets (glass side) 50 Sets (glass clip)		Made of tempered glass, glass clip made of plastic				
Glass Sides for DW182  Glass side Glass clip	Glass side set	270	650.8427 →	391	392	
		300	650.8430 →	391	392	
		350	650.8435 →	391	392	
		400	650.8440 →	391	392	
		450	650.8445 →	391	392	
		500	650.8450 →	391	392	
		550	650.8455 →	391	392	
	Glass clip set		650.8485 →			350* 385
	* Available upon special request Assembly instructions → see page 31					
	Glass side set = 2 pcs Glass clip set = 2 pcs L + 2 pcs R					
 10 Sets (glass side) 50 Sets (glass clip)		Made of tempered glass, glass clip made of plastic				

Accessories

Glass Sides 8mm


- 8mm glass sides don't require side rails
- Tempered glass for improved user safety

		NL						
		Nominal length						
			Item number		Frosted glass	Transparent glass	White	Anthracite Grey
Glass Sides for DW145		Glass side set	270	650.8460 →	391	392		
			300	650.8461 →	391	392		
			350	650.8462 →	391	392		
			400	650.8463 →	391	392		
			450	650.8464 →	391	392		
			500	650.8465 →	391	392		
			550	650.8466 →	391	392		
		Glass clip set		650.8488 →			350	385*
		* Available upon special request Assembly instructions → see page 31						
		Glass side set = 2 pcs Glass clip set = 2 pcs L + 2 pcs R						
 10 Sets (glass side) 50 Sets (glass clip)		Made of tempered glass, glass clip made of plastic						


Glass Sides for DW182		Glass side set	270	650.8467 →	391	392		
			300	650.8468 →	391	392		
			350	650.8469 →	391	392		
			400	650.8470 →	391	392		
			450	650.8471 →	391	392		
			500	650.8472 →	391	392		
			550	650.8473 →	391	392		
		Glass clip set		650.8489 →			350	385*
		* Available upon special request Assembly instructions → see page 31						
		Glass side set = 2 pcs Glass clip set = 2 pcs L + 2 pcs R						
 10 Sets (glass side) 50 Sets (glass clip)		Made of tempered glass, glass clip made of plastic						

Accessories

Drawer Storage System




Drawer Storage System for DW145



 12 Sets

Made of aluminium and plastic

Drawer Storage System for DW182




 20 Pcs (divider)
50 Sets (divider fitting L+R)
100 Pcs (riser)

Made of aluminium and plastic


NL	NL			
External cabinet width	Nominal length	Item number	White	Anthracite Grey
Max. 800	400	650.8770 →	511*	515*
Max. 800	450	650.8771 →	511*	515*
Max. 800	500	650.8772 →	511*	515*
Max. 800	550	650.8773 →	511*	515*
Max. 1200	400	650.8774 →	511*	515*
Max. 1200	450	650.8775 →	511*	515*
Max. 1200	500	650.8776 →	511*	515*
Max. 1200	550	650.8777 →	511*	515*
* Available upon special request				
One set consists of: 3 pcs longitudinal bars 2 pcs transversal bars 4 pcs bar fittings 6 pcs cross connections				
Divider	600	650.8706 →	511*	515*
	800	650.8708 →	511*	515*
	900	650.8709 →	511*	515*
	1000	650.8710 →	511*	515*
	1200	650.8712 →	511*	515*
Riser		650.8703 →	511*	515*
Divider fitting		650.8704 →	511*	515*
* Available upon special request				

Assembly Sequence


Connect the drawer sides to the bottom panel (1) and fix it with screws (2)



Insert the rear connector vertically (3) and push it downwards into recess in the drawer side (4)



Insert the back panel (5) and fix it with screws (6)




Insertion of Front Connectors

EasyFix


Insert the front connectors into holes on the front panel

Turn the screws for 90° into locked position



Screw-in Fixing



Use ø3.5 x 15mm for fixing



Front Panel Mounting Removal



Mounting

Attach the front panel to the drawer and press to click





Removal

Pull down with the screwdriver and rotate to disengage



1.




2.

Assembly Instructions


Drawer Insertion / Removal

Insertion

Put the drawer horizontally on the runners and push towards the cabinet until you hear the drawer is locked




Push to fully close



Removal

Press the button under a drawer keep pressed to pull the drawer out




Side / Height Adjustment

Side Adjustment

The side adjustment enables drawer front alignment with the side of the cabinet and perfect lifetime opening and closing of the drawer.


To align the drawer front with the cabinet side rotate the adjustment screw.



Height Adjustment


Height adjustment enables perfect vertical position of the drawer.

To align the drawer front release the locking screw (1), rotate the excentric dowel (2) and tighten the locking screw back (3)




Mounting of Glass Sides

Glass Sides 4mm




Glass Sides 8mm




Mounting of Side Bars

Side Bars
(for DW145 and DW182)




Assembly of Inner Drawer Front


DW70




DW145 and DW182
with Square Bar



DW145 and DW182
with heightening panel





New South Wales

Titus Tekform Pty Ltd
Unit 1&2, 41-43 Whyalla Place
Prestons, NSW, 2170 Australia
T: +61 2 9826 0007
Fax: +61 2 9826 0074
ABN: 67 168 439 647

Titus Tekform Pty Ltd
Unit 3, 100 Munibung Road
Cardiff, NSW, 2285 Australia
T: +61 2 4954 4011
Fax: +61 2 4954 4233

Tasmania

Titus Tekform Pty Ltd
88 Hopkins Street
Moonah, TAS, 7009 Australia
T: +61 3 6273 1199
Fax: +61 3 6273 0050
PO Box 658
Moonah, TAS, 7009

Queensland

Titus Tekform Pty Ltd
1/32 Northlink Place
Virginia, QLD, 4014 Australia
T: +61 7 3266 3999
Fax: +61 7 3266 5234
PO Box 266
Northgate, QLD, 4013

Titus Tekform Pty Ltd
20 Civil Road
Garbutt, QLD, 4814 Australia
T: +61 7 4779 1366
Fax: +61 7 4779 1316

South Australia

Titus Tekform Pty Ltd
PO Box 357
Bayswater, VIC, 3153 Australia
T: +61 8 8447 3700
Fax: +61 8 8447 3183

Victoria

Titus Tekform Pty Ltd
8/59 Jersey Road
Bayswater, VIC, 3153 Australia
T: +61 3 9737 5566
Fax: +61 3 9729 8780
PO Box 357
Bayswater, VIC, 3153

Titus Tekform Pty Ltd
2/20 Mint Street
Wodonga, VIC, 3690 Australia
T: +61 2 6056 3188
Fax: +61 2 6056 3190

Christchurch

Stefano Oriati
162 Wordsworth Street
Sydenham, Christchurch, 8023 NZ
T: 0064-3-981-8518
Fax: 0064-3-942-7296

Auckland

Stefano Oriati
34 Waipareira Ave
Henderson, Auckland, 0610 NZ
T: 0064-9-8370886
Fax: 0064-9-8378003

Get in touch with your local Technical Sales Representative

web: www.titustekform.com.au or www.stefanohardware.com

email us at info@titustekform.com.au or info@nzhe.co.nz

